



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name or designation of the mixture	Pure Resin PA202
Registration number	-
Synonyms	None.
Issue date	06-November-2020
Version number	01
Revision date	-
Supersedes date	-

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Ion Exchange, Absorbent and/or Catalyst
Uses advised against	None known

1.3 Details of the supplier of the safety data sheet

Supplier	Pure Resin Co., Ltd. No.10 Weisan Road, HSEDA, Shangyu, Shaoxing, 312369 CN
Telephone	+86 575 82739258
Fax	+86 575 82739248
Manufacturer	Pure Resin Co., Ltd. No.10 Weisan Road, HSEDA, Shangyu, Shaoxing, 312369 CN
Telephone	+86 571 87211518
Fax	+86 575 82739248
Contact person	SDS Coordinator
E-mail	info@pureresin.com
1.4 Emergency telephone number	+86 571 87211518 +86 575 82739258

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Health injuries are not known or expected under normal use.

2.2 Label elements

Label according to Regulation (EC) No. 1272/2008 as amended.

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

Precautionary statements

Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

Pure Resin PA202
Version#: 01

Reversion date: -

1 / 7
Issue Date: 06-November-2020

2.3 Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Trade Secret, Proprietary	42 - 52	Trade Secret	-	-	-
Classification:	-				
Water	48 - 58	7732-18-5	-	-	-
		231-791-2	-	-	-

Classification: -

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1 Description of first aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

This product is not flammable.
Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.1 Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2 Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3 Methods and material for containment and cleaning up

Pure Resin PA202
Version#: 01

Reversion date: -

2 / 7
Issue Date: 06-November-2020

Large Spills	Dike the spilled material, where this is possible. Sweep up or vacuum up spillage and collect in suitable container for disposal. Following product recovery, flush area with water.
Small Spills	Clean surface thoroughly to remove residual contamination.
Never return spills to original containers for re-use.	
6.4 Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Observe good industrial hygiene practices.
7.2 Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).
7.3 Specific end use(s)	Ion Exchange, Absorbent and/or Catalyst
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Follow standard monitoring procedures.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
Control banding approach	Follow standard monitoring procedures.
8.2 Exposure controls	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	If contact is likely, safety glasses with side shields are recommended. Eye protection should meet standard EN 166.
Skin protection	
- Hand protection	Protective gloves should be worn to prevent skin contact. SPECIFIC RECOMMENDATIONS. Breakthrough time: > 10 min (EN 374-3 Class 1). Suitable gloves can be recommended by the glove supplier.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
- Physical state	Solid.
- Form	Beads.
- Colour	White. Cream.
Odour	Odourless.
Odour threshold	Not available.
pH	Neutral.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
- Flammability limit - lower (%)	Not available.
- Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.1 - 1.3
Solubility(ies)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

Density	1.10 - 1.30
---------	-------------

SECTION 10: Stability and reactivity

10.1 Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2 Chemical stability	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	Contact with incompatible materials. Heat, sparks, flames, elevated temperatures.
10.5 Incompatible materials	Strong oxidising agents. Nitric acid.
10.6 Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
11.1 Information on likely routes of exposure	
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.
11.2 Information on toxicological effects	

Pure Resin PA202
Version#: 01

Reversion date: -

4 / 7
Issue Date: 06-November-2020

Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.
Mixture versus substance information	No information available.
Other information	No other specific acute or chronic health impact noted.
SECTION 12: Ecological information	
12.1 Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2 Persistence and degradability	No data is available on the degradability of this product.
12.3 Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4 Mobility in soil	The product is insoluble in water.
12.5 Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6 Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
SECTION 13: Disposal considerations	
13.1 Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.
SECTION 14: Transport information	
ADR	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.
ADN	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not applicable.

the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

- Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

- Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

- Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

- Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

- Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

- Not listed.

Regulation (EU) No. 2020/878 concerning Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

- Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

- Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

- Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

- Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

- Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

- Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

- Not listed.

Other regulations

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

MARPOL: International Convention for the Prevention of Pollution from Ships. DNEL:

References**Information on evaluation method leading to the classification of mixture****Full text of any H-statements not written out in full under Sections 2 to 15****Training information****Further information****Disclaimer**

Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic.

vPvB: Very Persistent and very Bioaccumulative.

ECHA CHEM

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

None.

Follow training instructions when handling this material.

This mixture is exempted from Registration according to the provisions of Title II and VI and Article 2(9) of REACH.

The information provided in this safety data sheet is based on current knowledge about the product and current legal requirements and standards. It relates specifically to health, safety and environmental requirements and standards, may not identify all hazards associated with the product or its uses or misuses, does not signify any warranty with regard to the properties of the product, and only applies when the product is used for the purposes indicated in section 1. This product is not sold as suitable for other purposes and such other usage may cause risks not mentioned in this safety data sheet.

Sicherheitshinweise und Warnhinweise

PA202 SDS EN

- Nitratfilter nur nach fachgerechter Auslegung und regelmäßiger Wasseranalyse betreiben.
- Regenerationsmittel und Harze nicht in Kinderhände geben; Kontakt mit Augen und Haut vermeiden.
- Nach Regeneration und Wartung ausreichend spülen, bevor das Wasser genutzt wird.
- Grenzwerte für Trinkwasser regelmäßig kontrollieren. Bei Überschreitung Wasser nicht als Trinkwasser verwenden.
- Vor Arbeiten Anlage drucklos machen und elektrische Komponenten spannungsfrei schalten.
- Austauscherharze und Regenerierlösungen nach lokalen Vorschriften entsorgen.

Im Notfall Wasserzufuhr absperren, Anlage außer Betrieb nehmen und bei Personen-, Sach- oder Trinkwassergefahr geeignete Hilfe verständigen.

Technische Änderungen vorbehalten

Rechtliche Hinweise und Betreiberpflichten

PA202 SDS EN

Geltende Vorschriften

Vor Montage, Inbetriebnahme, Betrieb, Wartung, Regeneration, Reinigung und Entsorgung sind alle mitgelieferten Herstellerunterlagen, Typenschilder, Kennzeichnungen, Sicherheitsdatenblätter sowie die am Einsatzort geltenden gesetzlichen und behördlichen Vorgaben zu beachten.

Bestimmungsgemäße Verwendung

Die Produkte und Anlagen dürfen nur für den vorgesehenen Zweck, innerhalb der zulässigen Betriebsdaten und mit freigegebenen Medien, Ersatzteilen und Verbrauchsmaterialien verwendet werden. Vorhersehbare Fehlanwendung ist zu vermeiden.

Fachpersonal und Betreiberpflichten

Planung, Einbau, elektrische Arbeiten, Druckarbeiten, Inbetriebnahme und sicherheitsrelevante Wartung sind durch fachkundige beziehungsweise qualifizierte Personen auszuführen. Der Betreiber ist für ordnungsgemäßen Betrieb, regelmäßige Kontrolle, Wartung, Dokumentation und sichere Außerbetriebnahme verantwortlich.

Trinkwasser und Hygiene

Bei Anlagen für Wasser für den menschlichen Gebrauch sind die Trinkwasserverordnung, das Infektionsschutzrecht, behördliche Anforderungen und die allgemein anerkannten Regeln der Technik einzuhalten. Nach Arbeiten an der Anlage sind hygienische Inbetriebnahme, Spülung, Dichtheitsprüfung und bei Bedarf Wasseranalyse sicherzustellen.

Chemikalien, Harze und Regeneriermittel

Für alle Chemikalien, Harze, Reinigungs-, Desinfektions- und Regeneriermittel gelten Produktkennzeichnung und Sicherheitsdatenblatt. Persönliche Schutzausrüstung verwenden, Stoffe nicht mischen, kindersicher lagern und Reststoffe sowie Verpackungen vorschriftsgemäß entsorgen.

Elektrik, Druck und UV

Vor Arbeiten an elektrischen Komponenten spannungsfrei schalten und gegen Wiedereinschalten sichern. Druckbehälter, Leitungen und Armaturen vor Arbeiten drucklos machen. UV-C-Strahlung niemals ungeschützt betreiben; Lampen nur im geschlossenen Reaktor verwenden.

Mängel und Gefahrenfall

Beschädigte, undichte, veränderte oder unsachgemäß installierte Anlagen dürfen nicht weiter betrieben werden. Bei Gefahr für Personen, Sachen oder Trinkwasserqualität Wasserzufuhr absperren, Anlage außer Betrieb nehmen und fachkundige Hilfe hinzuziehen.

Technische Änderungen vorbehalten